

16367 U.S. PTO  
030304

I hereby certify that this correspondence and the enclosures listed below are being deposited with the U.S. Postal service as express mail label no. ER 262031105 US addressed to Mail Stop Patent Application, Commissioner of Patents and Trademarks, P.O.Box 1450, Alexandria, Virginia 22313-1450 on March 3, 2004.

Dated: March 3, 2004

*Warren P. Kujawa*

**Warren P. Kujawa  
1770 N. Green Valley Pkwy  
Unit 3833  
Henderson, NV 89074  
Voice: 702-270-8853  
e-mail: warrenthek@msn.com**

17302 U.S. PTO  
10/792303  
030304

March 3, 2004

Commissioner of Patents and Trademarks  
Alexandria, Virginia 22313-1450

Transmittal letter for patent application  
File no.: 31500-8

Sir:

Enclosed please find the following:

Patent application for "pH measurement System For Buoyant Water  
Chlorinator"

Five sheets of drawings

Declaration

Check in the amount of \$385.00 for filing fee

The filing fee was calculated as follows:

Total claims- 19

Total independent claims- 3

The applicant is a small entity.

Examination is requested.

Respectfully submitted,

*Warren P. Kujawa*

Warren P. Kujawa  
Reg. No. 25142